

Hospital Equity Measures Report

General Information

Report Type:	Hospital Equity Measures Report
Year:	2024
Hospital Name:	ST. JOSEPH'S BEHAVIORAL HEALTH CENTER
Facility Type:	Acute Psychiatric Hospital
Hospital HCAI ID:	106392232
Report Period:	1/1/2024 - 12/31/2024
Status:	Submitted
Due Date:	09/30/2025
Last Updated:	09/25/2025
Hospital Location with Clean Water and Air:	Y
Hospital Web Address for Equity Report:	https://tinyurl.com/3484pfvt

Overview

Assembly Bill No. 1204 requires the Department of Health Care Access and Information (HCAI) to develop and administer a Hospital Equity Measures Reporting Program to collect and post summaries of key hospital performance and patient outcome data regarding sociodemographic information, including but not limited to age, sex, race/ethnicity, payor type, language, disability status, and sexual orientation and gender identity.

Hospitals (general acute, children's, and acute psychiatric) and hospital systems are required to annually submit their reports to HCAI. These reports contain summaries of each measure, the top 10 disparities, and the equity plans to address the identified disparities. HCAI is required to maintain a link on the HCAI website that provides access to the content of hospital equity measures reports and equity plans to the public. All submitted hospitals are required to post their reports on their websites, as well.

Laws and Regulations

For more information on Assembly Bill No. 1204, please visit the following link by copying and pasting the URL into your web browser:

https://leginfo.legislature.ca.gov/faces/billTextClient.xhtml?bill_id=202120220AB1204

Hospital Equity Measures

Joint Commission Accreditation

Acute psychiatric hospitals are required to report three structural measures based on the Commission Accreditation's Health Care Disparities Reduction and Patient-Centered Communication Accreditation Standards. For more information on these measures, please visit the following link by copying and pasting the URL into your web browser:

<https://www.jointcommission.org/standards/r3-report/r3-report-issue-36-new-requirements-to-reduce-health-care-disparities/>

The first two structural measures are scored as "yes" or "no"; the third structural measure comprises the percentages of patients by five categories of preferred languages spoken, in addition to one other/unknown language category.

Designate an individual to lead hospital health equity activities (Y = Yes, N = No).

Y

Provide documentation of policy prohibiting discrimination (Y = Yes, N = No).

Y

Number of patients that were asked their preferred language, five defined categories and one other/unknown languages category.

1286

Table 1. Summary of preferred languages reported by patients.

Languages	Number of patients who report preferring language	Total number of patients	Percentage of total patients who report preferring language (%)
English Language	1254	1286	97.5
Spanish Language	suppressed	1286	suppressed
Asian Pacific Islander Languages	suppressed	1286	suppressed
Middle Eastern Languages		1286	
American Sign Language		1286	
Other Languages	suppressed	1286	suppressed

Centers for Medicare & Medicaid Services (CMS) Hospital Commitment to Health Equity Structural (HCHE) Measure

There are five domains that make up the CMS Hospital Commitment to HCHE measures. Each domain is scored as "yes" or "no." In order to score "yes," a acute psychiatric hospital is required to confirm all the domain's attestations. Lack of one or more of the attestations results in a score of "no." For more information on the CMS Hospital Commitment to HCHE measures, please visit the following link by copying and pasting the URL into your web browser:
<https://data.cms.gov/provider-data/topics/hospitals/health-equity>

Centers for Medicare & Medicaid Services (CMS) Hospital Commitment to Health Equity Structural (HCHE) Measure Domain 1: Strategic Planning (Yes/No)

- Our hospital strategic plan identifies priority populations who currently experience health disparities.
- Our hospital strategic plan identifies healthcare equity goals and discrete action steps to achieve these goals.
- Our hospital strategic plan outlines specific resources that have been dedicated to achieving our equity goals.
- Our hospital strategic plan describes our approach for engaging key stakeholders, such as community-based organizations.

Y

CMS HCHE Measure Domain 2: Data Collection (Yes/No)

- Our hospital strategic plan identifies healthcare equity goals and discrete action steps to achieve these goals.
- Our hospital has training for staff in culturally sensitive collection of demographics and/or social determinant of health information.

- Our hospital inputs demographic and/or social determinant of health information collected from patients into structured, interoperable data elements using a certified electronic health record (EHR) technology.

Y

CMS HCHE Measure Domain 3: Data Analysis (Yes/No)

- Our hospital stratifies key performance indicators by demographic and/or social determinants of health variables to identify equity gaps and includes this information in hospital performance dashboards.

Y

CMS HCHE Measure Domain 4: Quality Improvement (Yes/No)

- Our hospital participates in local, regional or national quality improvement activities focused on reducing health disparities.

Y

CMS HCHE Measure Domain 5: Leadership Engagement (Yes/No)

- Our hospital senior leadership, including chief executives and the entire hospital board of trustees, annually reviews our strategic plan for achieving health equity.
- Our hospital senior leadership, including chief executives and the entire hospital board of trustees, annually review key performance indicators stratified by demographic and/or social factors.

Y

Centers for Medicare & Medicaid Services (CMS) Social Drivers of Health (SDOH)

Acute psychiatric hospitals are required to report on rates of screenings and intervention rates among patients above 18 years old for five health related social needs (HRSN), which are food insecurity, housing instability, transportation problems, utility difficulties, and interpersonal safety. These rates are reported separately as being screened as positive for any of the five HRSNs, positive for each individual HRSN, and the intervention rate for each positively screened HRSN. For more information on the CMS SDOH, please visit the following link by copying and pasting the URL into your web browser:

<https://www.cms.gov/priorities/innovation/key-concepts/social-drivers-health-and-health-related-social-needs>

Number of patients admitted to an inpatient hospital stay who are 18 years or older on the date of admission and are screened for all of the five HRSN

589

Total number of patients who are admitted to a hospital inpatient stay and who are 18 years or older on the date of admission

997

Rate of patients admitted for an inpatient hospital stay who are 18 years or older on the date of admission, were screened for an HRSN, and who screened positive for one or more of the HRSNs

31

Table 2. Positive screening rates and intervention rates for the five Health Related Social Needs of the Centers of Medicare & Medicaid Services (CMS) Social Drivers of Health (SDOH).

Social Driver of Health	Number of positive screenings	Rate of positive screenings (%)	Number of positive screenings who received intervention	Rate of positive screenings who received intervention (%)
Food Insecurity	109	19.2	0	0
Housing Instability	115	20.2	0	0
Transportation Problems	94	16.5	0	0
Utility Difficulties	26	4.6	0	0
Interpersonal Safety	21	3.7	0	0

Core Quality Measures for General Acute Psychiatric Hospitals

There are two quality measures from the Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) survey. For more information on the HCAHPS survey, please visit the following link by copying and pasting the URL into your web browser:

<https://hcahpsonline.org/en/survey-instruments/>

Patient Recommends Hospital

The first HCAHPS quality measure is the percentage of patients who would recommend the hospital to friends and family. For this measure, acute psychiatric hospitals provide the percentage of patient respondents who responded "probably yes" or "definitely yes" to whether they would recommend the hospital, the percentage of the people who responded to the survey (i.e., the response rate), and the inputs for the percentages. The percentages and inputs are stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding HCAHPS question number is 19.

Number of respondents who replied "probably yes" or "definitely yes" to HCAHPS Question 19, "Would you recommend this hospital to your friends and family?"

NA

Total number of respondents to HCAHPS Question 19

NA

Percentage of total respondents who responded "probably yes" or "definitely yes" to HCAHPS Question 19

NA

Total number of people surveyed on HCAHPS Question 19

NA

Response rate, or the percentage of people who responded to HCAHPS Question 19

NA

Table 3. Patient recommends hospital by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
American Indian or Alaska Native					
Asian					
Black or African American					
Hispanic or Latino					
Middle Eastern or North African					
Multiracial and/or Multiethnic (two or more races)					
Native Hawaiian or Pacific Islander					
White					

Age	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Age < 18					
Age 18 to 34					
Age 35 to 49					
Age 50 to 64					
Age 65 Years and Older					

Sex assigned at birth	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Female					
Male					
Unknown					

Payer Type	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Medicare					
Medicaid					
Private					
Self-Pay					
Other					

Preferred Language	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
English Language					
Spanish Language					
Asian Pacific Islander Languages					
Middle Eastern Languages					
American Sign Language					
Other/Unknown Languages					

Disability Status	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Does not have a disability					
Has a mobility disability					
Has a cognition disability					
Has a hearing disability					
Has a vision disability					
Has a self-care disability					
Has an independent living disability					

Sexual Orientation	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Lesbian, gay or homosexual					
Straight or heterosexual					
Bisexual					
Something else					
Don't know					
Not disclosed					

Gender Identity	Number of "probably yes" or "definitely yes" responses	Total number of responses	Percent of "probably yes" or "definitely yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Female					
Female-to-male (FTM)/ transgender male/trans man					
Male					
Male-to-female (MTF)/ transgender female/trans					
Non-conforming gender					
Additional gender category or other					
Not disclosed					

Patient Received Information in Writing

The second HCAHPS quality measure is the percentage of patients who reported receiving information in writing on symptoms and health problems to look out for after leaving the hospital. Acute psychiatric hospitals are required to provide the percentage of patient respondents who responded "yes" to being provided written information, the percentage of the people who responded to the survey (i.e., the response rate), and the inputs for these percentages. These percentages and inputs are stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding HCAHPS question number is 17.

Number of respondents who replied "yes" to HCAHPS Question 17, "During this hospital stay, did you get information in writing about what symptoms or health problems to look out for after you left the

hospital?"

NA

Total number of respondents to HCAHPS Question 17

NA

Percentage of respondents who responded "yes" to HCAHPS Question 17

NA

Total number of people surveyed on HCAHPS Question 17

NA

Response rate, or the percentage of people who responded to HCAHPS Question 17

NA

Table 4. Patient reports receiving information in writing about symptoms or health problems by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
American Indian or Alaska Native					
Asian					
Black or African American					
Hispanic or Latino					
Middle Eastern or North African					
Multiracial and/or Multiethnic (two or more races)					
Native Hawaiian or Pacific Islander					
White					

Age	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Age < 18					
Age 18 to 34					
Age 35 to 49					
Age 50 to 64					
Age 65 Years and Older					

Sex assigned at birth	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Female					
Male					
Unknown					

Payer Type	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Medicare					
Medicaid					
Private					
Self-Pay					
Other					

Preferred Language	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
English Language					
Spanish Language					
Asian Pacific Islander Languages					
Middle Eastern Languages					
American Sign					
Other/Unknown Languages					

Disability Status	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Does not have a disability					
Has a mobility disability					
Has a cognition					
Has a hearing disability					
Has a vision disability					
Has a self-care					
Has an independent living disability					

Sexual Orientation	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Lesbian, gay or homosexual					
Straight or heterosexual					
Bisexual					
Something else					
Don't know					
Not disclosed					

Gender Identity	Number of "yes" responses	Total number of responses	Percentage of "yes" responses (%)	Total number of patients surveyed	Response rate of patients surveyed (%)
Female					
Female-to-male (FTM)/ transgender male/trans man					
Male					
Male-to-female (MTF)/ transgender female/trans woman					
Non-conforming gender					
Additional gender category or other					
Not disclosed					

Agency for Healthcare Research and Quality (AHRQ) Indicators

Acute psychiatric hospitals are required to report on two indicators from the Agency for Healthcare Research and Quality (AHRQ). For general information about AHRQ indicators, please visit the following link by copying and pasting the URL into your web browser:

<https://qualityindicators.ahrq.gov/>

Pneumonia Mortality Rate

The Pneumonia Mortality Rate is defined as the rate of in-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission for patients ages 18 years and older. Acute psychiatric hospitals report the Pneumonia Mortality Rate by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. The corresponding AHRQ Inpatient Quality Indicator is 20. For more information about this indicator, please visit the following link by copying and pasting the URL into your web browser:

https://qualityindicators.ahrq.gov/Downloads/Modules/IQI/V2023/TechSpecs/IQI_20_Pneumonia_Mortality_Rate.pdf

Number of in-hospital deaths with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission

NA

Total number of hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission

NA

Rate of in-hospital deaths per 1,000 hospital discharges with a principal diagnosis of pneumonia or a principal diagnosis of sepsis with a secondary diagnosis of pneumonia present on admission

NA

Table 5. Pneumonia Mortality Rate by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
American Indian or Alaska Native			
Asian			
Black or African American			
Hispanic or Latino			
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more)			
Native Hawaiian or Pacific Islander			
White			

Age	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Age < 18			
Age 18 to 34			
Age 35 to 49			
Age 50 to 64			
Age 65 Years and Older			

Sex assigned at birth	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Female			
Male			
Unknown			

Payer Type	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Medicare			
Medicaid			
Private			
Self-Pay			
Other			

Preferred Language	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
English Language			
Spanish Language			
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

Disability Status	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of in-hospital deaths that meet the inclusion/exclusion criteria	Number of hospital discharges that meet the inclusion/exclusion criteria	Rate of in-hospital deaths per 1,000 hospital discharges that meet the inclusion/exclusion criteria (%)
Female			
Female-to-male (FTM)/ transgender male/trans man			
Male			
Male-to-female (MTF)/ transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate

Acute psychiatric hospitals are required to report several HCAI All-Cause Unplanned 30-Day Hospital Readmission Rates, which are broadly defined as the percentage of hospital-level, unplanned, all-cause readmissions after admission for eligible conditions within 30 days of hospital discharge for patients aged 18 years and older. These rates are first stratified based on any eligible condition, mental health disorders, substance use disorders, co-occurring disorders, and no behavioral health diagnosis. Then, each condition-stratified hospital readmission rate is further stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. For more information on the HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate, please visit the following link by copying and pasting the URL into your web browser:

https://hcai.ca.gov/wp-content/uploads/2024/10/HCAI-All-Cause-Readmission-Rate-Exclusions_ADA.pdf

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate in an Inpatient Psychiatric Facility (IPF)

Number of inpatient admissions to an IPF which occurs within 30 days of the discharge date of an eligible index admission and were 18 years or older at time of admission

50

Total number of patients who were admitted to an IPF and were 18 years or older at time of admission

249

Rate of hospital-level, unplanned, all-cause readmissions after admission for any eligible condition within 30 days of hospital discharge for patients aged 18 and older

20.1

Table 6. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for any eligible condition by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
American Indian or Alaska Native			
Asian	suppressed	suppressed	suppressed
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	suppressed	suppressed	suppressed
Native Hawaiian or Pacific Islander	suppressed	suppressed	suppressed
White	29	118	24.6

Age	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Age 18 to 34	14	79	17.7
Age 35 to 49	15	68	22.1
Age 50 to 64	suppressed	suppressed	suppressed
Age 65 Years and Older	suppressed	suppressed	suppressed

Sex assigned at birth	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female	29	126	23
Male	21	123	17.1
Unknown			

Payer Type	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Medicare	31	150	20.7
Medicaid	suppressed	suppressed	suppressed
Private	19	91	20.9
Self-Pay	suppressed	suppressed	suppressed
Other	suppressed	suppressed	suppressed

Preferred Language	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

Disability Status	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - Mental Health Disorders

Number of inpatient admissions to an IPF which occurs within 30 days of the discharge date for mental health disorders and were 18 years or older at time of admission

34

Total number of patients who were admitted to an IPF and were 18 years or older at time of admission

153

Rate of hospital-level, unplanned, all-cause readmissions after admission for mental health disorders within 30 days of hospital discharge for patients aged 18 and older

22.2

Table 7. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for mental health disorders by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
American Indian or Alaska Native			
Asian	suppressed	suppressed	suppressed
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	suppressed	suppressed	suppressed
Native Hawaiian or Pacific Islander	suppressed	suppressed	suppressed
White	suppressed	suppressed	suppressed

Age	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Age 18 to 34	suppressed	suppressed	suppressed
Age 35 to 49	suppressed	suppressed	suppressed
Age 50 to 64	suppressed	suppressed	suppressed
Age 65 Years and Older	suppressed	suppressed	suppressed

Sex assigned at birth	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female	suppressed	suppressed	suppressed
Male	suppressed	suppressed	suppressed
Unknown			

Payer Type	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Medicare	suppressed	suppressed	suppressed
Medicaid			
Private	suppressed	suppressed	suppressed
Self-Pay	suppressed	suppressed	suppressed
Other	suppressed	suppressed	suppressed

Preferred Language	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
English Language	suppressed	suppressed	suppressed
Spanish Language			
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

Disability Status	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - Substance Use Disorders

Number of inpatient admissions to an IPF which occurs within 30 days of the discharge date for substance use disorders and were 18 years or older at time of admission

suppressed

Total number of patients who were admitted to an IPF and were 18 years or older at time of admission

suppressed

Rate of hospital-level, unplanned, all-cause readmissions after admission for substance use disorders within 30 days of hospital discharge for patients aged 18 and older

suppressed

Table 8. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for substance use disorders by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
American Indian or Alaska Native			
Asian			
Black or African American			
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)			
Native Hawaiian or Pacific Islander			
White			

Age	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Age 18 to 34	suppressed	suppressed	suppressed
Age 35 to 49			
Age 50 to 64			
Age 65 Years and Older	suppressed	suppressed	suppressed

Sex assigned at birth	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female	suppressed	suppressed	suppressed
Male			
Unknown			

Payer Type	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Medicare	suppressed	suppressed	suppressed
Medicaid			
Private			
Self-Pay			
Other			

Preferred Language	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
English Language	suppressed	suppressed	suppressed
Spanish Language			
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

Disability Status	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - Co-occurring disorders

Number of inpatient admissions to an IPF which occurs within 30 days of the discharge date for co-occurring disorders and were 18 years or older at time of admission

15

Total number of patients who were admitted to an IPF and were 18 years or older at time of admission

90

Rate of hospital-level, unplanned, all-cause readmissions after admission for co-occurring disorders within 30 days of hospital discharge for patients aged 18 and older

16.7

Table 9. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate for co-occurring disorders by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
American Indian or Alaska Native			
Asian	suppressed	suppressed	suppressed
Black or African American	suppressed	suppressed	suppressed
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)	suppressed	suppressed	suppressed
Native Hawaiian or Pacific Islander			
White	suppressed	suppressed	suppressed

Age	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Age 18 to 34	suppressed	suppressed	suppressed
Age 35 to 49	suppressed	suppressed	suppressed
Age 50 to 64	suppressed	suppressed	suppressed
Age 65 Years and Older	suppressed	suppressed	suppressed

Sex assigned at birth	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female	suppressed	suppressed	suppressed
Male	suppressed	suppressed	suppressed
Unknown			

Payer Type	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Medicare	suppressed	suppressed	suppressed
Medicaid	suppressed	suppressed	suppressed
Private	suppressed	suppressed	suppressed
Self-Pay	suppressed	suppressed	suppressed
Other	suppressed	suppressed	suppressed

Preferred Language	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
English Language	suppressed	suppressed	suppressed
Spanish Language			
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

Disability Status	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate - No Behavioral Health Diagnosis

Number of inpatient admissions to an IPF which occurs within 30 days of the discharge date with no behavioral diagnosis and were 18 years or older at time of admission

suppressed

Total number of patients who were admitted to an IPF and were 18 years or older at time of admission

suppressed

Rate of hospital-level, unplanned, all-cause readmissions after admission with no behavioral diagnosis within 30 days of hospital discharge for patients aged 18 and older

suppressed

Table 10. HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate with No Behavioral Diagnosis by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
American Indian or Alaska Native			
Asian			
Black or African American			
Hispanic or Latino	suppressed	suppressed	suppressed
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)			
Native Hawaiian or Pacific Islander			
White	suppressed	suppressed	suppressed

Age	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Age 18 to 34	suppressed	suppressed	suppressed
Age 35 to 49	suppressed	suppressed	suppressed
Age 50 to 64			
Age 65 Years and Older	suppressed	suppressed	suppressed

Sex assigned at birth	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female	suppressed	suppressed	suppressed
Male	suppressed	suppressed	suppressed
Unknown			

Payer Type	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Medicare	suppressed	suppressed	suppressed
Medicaid			
Private	suppressed	suppressed	suppressed
Self-Pay			
Other			

Preferred Language	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
English Language	suppressed	suppressed	suppressed
Spanish Language	suppressed	suppressed	suppressed
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

Disability Status	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of inpatient readmissions	Total number of admitted patients	Readmission rate (%)
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

CMS Inpatient Psychiatric Facility Quality Reporting (IPFQR) Program Screening for Metabolic Disorders

Acute psychiatric hospitals are required to report the rate of structured screenings for metabolic disorders among patients with a prescription for one or more routinely scheduled antipsychotic medications. The structured screenings must contain (1) body mass index (BMI), (2) blood pressure, (3) blood glucose or HbA1c, and (4) a lipid panel, and be completed at least once in the 12 months prior to the patient's date of discharge. The rate of patient screenings for metabolic disorders are stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. For more information on the structured screenings for metabolic disorders, please see page 92 of the report by visiting the following link by copying and pasting the URL into your web browser:

https://www.qualityreportingcenter.com/globalassets/2021/05/iqr/ipfqr_programmanualv7.0_final508.pdf

Number of patients with a prescription for one or more routinely scheduled antipsychotic medications who received a metabolic screening in the 12 months prior to discharge, either prior to or during the index IPF stay

NA

Number of discharges from an IPF during the measurement period with a prescription for one or more routinely scheduled antipsychotic medications

NA

Rate of patients discharged from an IPF with a prescription for one or more routinely scheduled antipsychotic medications for which a structured metabolic screening was completed in the 12 months prior to discharge, either prior to or during the index IPF stay

NA

Table 11. Rate of patients who received structured metabolic screenings with a prescription for a routinely scheduled antipsychotic medication by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of eligible patients who received metabolic screening	Total number of eligible discharges	Rate of eligible patients who received metabolic screening (%)
American Indian or Alaska Native			
Asian			
Black or African American			
Hispanic or Latino			
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)			
Native Hawaiian or Pacific Islander			
White			

Age	Number of eligible patients who received metabolic screening	Total number of eligible discharges	Rate of eligible patients who received metabolic screening (%)
Age < 18			
Age 18 to 34			
Age 35 to 49			
Age 50 to 64			
Age 65 Years and Older			

Sex assigned at birth	Number of eligible patients who received metabolic screening	Total number of eligible discharges	Rate of eligible patients who received metabolic screening (%)
Female			
Male			
Unknown			

Payer Type	Number of eligible patients who received metabolic screening	Total number of eligible discharges	Rate of eligible patients who received metabolic screening (%)
Medicare			
Medicaid			
Private			
Self-Pay			
Other			

Preferred Language	Number of eligible patients who received metabolic screening	Total number of eligible discharges	Rate of eligible patients who received metabolic screening (%)
English Language			
Spanish Language			
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

Disability Status	Number of eligible patients who received metabolic screening	Total number of eligible discharges	Rate of eligible patients who received metabolic screening (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of eligible patients who received metabolic screening	Total number of eligible discharges	Rate of eligible patients who received metabolic screening (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of eligible patients who received metabolic screening	Total number of eligible discharges	Rate of eligible patients who received metabolic screening (%)
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

The Joint Commission SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge

Acute psychiatric hospitals are required to report the rate of structured screenings for metabolic disorders among patients with a prescription for one or more routinely scheduled antipsychotic medications. The structured screenings must contain (1) body mass index (BMI), (2) blood pressure, (3) blood glucose or HbA1c, and (4) a lipid panel, and be completed at least once in the 12 months prior to the patient's date of discharge. The rate of patient screenings for metabolic disorders are stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. For more information on the structured screenings for metabolic disorders, please see page 92 of the report by visiting the following link by copying and pasting the URL into your web browser:

https://www.qualityreportingcenter.com/globalassets/2021/05/iqr/ipfqr_programmanualv7.0_final508.pdf

Number of hospitalized inpatients 18 years of age or older with an alcohol or drug use disorder who received or refused a prescription medication for the disorder or a referral for addictions treatment

NA

Total number of hospitalized inpatients 18 years of age and older identified with an alcohol or drug use disorder

NA

Rate of hospitalized inpatients 18 years of age or older with an alcohol or drug use disorder who received or refused a prescription medication for the disorder or a referral for addictions treatment

NA

Table 12. Rate of eligible patients who received or refused prescription or referral for treatment by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of eligible patients who received or refused prescription or referral for treatment	Total number of hospitalized patients at least 18 years or older identified with an alcohol or drug use disorder	Rate of eligible patients who received or refused prescription or referral for treatment (%)
American Indian or Alaska Native			
Asian			
Black or African American			
Hispanic or Latino			
Middle Eastern or North African			
Multiracial and/or Multiethnic (two or more races)			
Native Hawaiian or Pacific Islander			
White			

Age	Number of eligible patients who received or refused prescription or referral for treatment	Total number of hospitalized patients at least 18 years or older identified with an alcohol or drug use disorder	Rate of eligible patients who received or refused prescription or referral for treatment (%)
Age 18 to 34			
Age 35 to 49			
Age 50 to 64			
Age 65 Years and Older			

Sex assigned at birth	Number of eligible patients who received or refused prescription or referral for treatment	Total number of hospitalized patients at least 18 years or older identified with an alcohol or drug use disorder	Rate of eligible patients who received or refused prescription or referral for treatment (%)
Female			
Male			
Unknown			

Payer Type	Number of eligible patients who received or refused prescription or referral for treatment	Total number of hospitalized patients at least 18 years or older identified with an alcohol or drug use disorder	Rate of eligible patients who received or refused prescription or referral for treatment (%)
Medicare			
Medicaid			
Private			
Self-Pay			
Other			

Preferred Language	Number of eligible patients who received or refused prescription or referral for treatment	Total number of hospitalized patients at least 18 years or older identified with an alcohol or drug use disorder	Rate of eligible patients who received or refused prescription or referral for treatment (%)
English Language			
Spanish Language			
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

Disability Status	Number of eligible patients who received or refused prescription or referral for treatment	Total number of hospitalized patients at least 18 years or older identified with an alcohol or drug use disorder	Rate of eligible patients who received or refused prescription or referral for treatment (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of eligible patients who received or refused prescription or referral for treatment	Total number of hospitalized patients at least 18 years or older identified with an alcohol or drug use disorder	Rate of eligible patients who received or refused prescription or referral for treatment (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of eligible patients who received or refused prescription or referral for treatment	Total number of hospitalized patients at least 18 years or older identified with an alcohol or drug use disorder	Rate of eligible patients who received or refused prescription or referral for treatment (%)
Female			
Female-to-male (FTM)/transgender male/trans man			
Male			
Male-to-female (MTF)/transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

The Joint Commission SUB-3: Alcohol and Other Drug Use Disorder Treatment Provided or Offered at Discharge

Acute psychiatric hospitals are required to report the rate of patients 18 years of age or older with an alcohol or drug use disorder who received or refused a prescription medication for the disorder or a referral for addictions treatment. This rate is stratified by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity. For more information on the rate calculation and inclusion/exclusion criteria, please visit the following link by copying and pasting the URL into your web browser:

<https://manual.jointcommission.org/releases/TJC2024B/MIF0221.html>

Number of hospitalized inpatients 18 years of age or older with an alcohol or drug use disorder who received or refused a prescription medication for the disorder or a referral for addictions treatment

NA

Total number of hospitalized inpatients 18 years of age and older identified with an alcohol or drug use disorder

NA

Rate of hospitalized inpatients 18 years of age or older with an alcohol or drug use disorder who received or refused a prescription medication for the disorder or a referral for addictions treatment

NA

Table 13. Rate of patients who received or refused prescription or referral for treatment by race and/or ethnicity, non-maternal age categories, sex, payer type, preferred language, disability status, sexual orientation, and gender identity.

Race and/or Ethnicity	Number of patients who received or refused prescription or referral for treatment who meet inclusion/exclusion criteria	Total number of identified with an alcohol or drug use disorder who meet inclusion/exclusion criteria	Rate of eligible patients who received or refused prescription or referral for treatment who meet inclusion/exclusion criteria (%)
American Indian or Alaska Native			
Asian			
Black or African American			
Hispanic or Latino			
Middle Eastern or North			
Multiracial and/or Multiethnic (two or more races)			
Native Hawaiian or Pacific Islander			
White			
Age	Number of patients who received or refused prescription or referral for treatment who meet inclusion/exclusion criteria	Total number of identified with an alcohol or drug use disorder who meet inclusion/exclusion criteria	Rate of eligible patients who received or refused prescription or referral for treatment who meet inclusion/exclusion criteria (%)
Age 18 to 34			
Age 35 to 49			
Age 50 to 64			
Age 65 Years and Older			
Sex assigned at birth	Number of patients who received or refused prescription or referral for treatment who meet inclusion/exclusion criteria	Total number of identified with an alcohol or drug use disorder who meet inclusion/exclusion criteria	Rate of eligible patients who received or refused prescription or referral for treatment who meet inclusion/exclusion criteria (%)
Female			
Male			
Unknown			
Payer Type	Number of patients who received or refused prescription or referral for treatment who meet inclusion/exclusion criteria	Total number of identified with an alcohol or drug use disorder who meet inclusion/exclusion criteria	Rate of eligible patients who received or refused prescription or referral for treatment who meet inclusion/exclusion criteria (%)
Medicare			
Medicaid			
Private			
Self-Pay			
Other			

Preferred Language	Number of patients who received or refused prescription or referral for treatment who meet inclusion/exclusion criteria	Total number of identified with an alcohol or drug use disorder who meet inclusion/exclusion criteria	Rate of eligible patients who received or refused prescription or referral for treatment who meet inclusion/exclusion criteria (%)
English Language			
Spanish Language			
Asian Pacific Islander Languages			
Middle Eastern Languages			
American Sign Language			
Other/Unknown Languages			

Disability Status	Number of patients who received or refused prescription or referral for treatment who meet inclusion/exclusion criteria	Total number of identified with an alcohol or drug use disorder who meet inclusion/exclusion criteria	Rate of eligible patients who received or refused prescription or referral for treatment who meet inclusion/exclusion criteria (%)
Does not have a disability			
Has a mobility disability			
Has a cognition disability			
Has a hearing disability			
Has a vision disability			
Has a self-care disability			
Has an independent living disability			

Sexual Orientation	Number of patients who received or refused prescription or referral for treatment who meet inclusion/exclusion criteria	Total number of identified with an alcohol or drug use disorder who meet inclusion/exclusion criteria	Rate of eligible patients who received or refused prescription or referral for treatment who meet inclusion/exclusion criteria (%)
Lesbian, gay or homosexual			
Straight or heterosexual			
Bisexual			
Something else			
Don't know			
Not disclosed			

Gender Identity	Number of patients who received or refused prescription or referral for treatment who meet inclusion/exclusion criteria	Total number of identified with an alcohol or drug use disorder who meet inclusion/exclusion criteria	Rate of eligible patients who received or refused prescription or referral for treatment who meet inclusion/exclusion criteria (%)
Female			
Female-to-male (FTM)/ transgender male/trans man			
Male			
Male-to-female (MTF)/ transgender female/trans woman			
Non-conforming gender			
Additional gender category or other			
Not disclosed			

Health Equity Plan

All acute psychiatric hospitals report a health equity plan that identifies the top 10 disparities and a written plan to address them.

Top 10 Disparities

Disparities for each hospital equity measure are identified by comparing the rate ratios by stratification groups. Rate ratios are calculated differently for measures with preferred low rates and those with preferred high rates. Rate ratios are calculated after applying the California Health and Human Services Agency's "Data De-Identification Guidelines (DDG)," dated September 23, 2016.

Table 14. Top 10 disparities and their rate ratio values.

Measures	Stratifications	Stratification Group	Stratification Rate	Reference Group	Reference Rate	Rate Ratio
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate in an Inpatient Psychiatric Facility (IPF).	Sex Assigned at Birth			Male	17.1	1.3
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate in an Inpatient Psychiatric Facility (IPF).	Age (excluding maternal measures)			18 to 34	17.7	1.2
HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate in an Inpatient Psychiatric Facility (IPF).	Expected Payor			Medicare	20.7	1

Plan to address disparities identified in the data

Action Plan for Top 10 Identified Disparities (3 identified for our hospital)

Measure: HCAI All-Cause Unplanned 30-Day Hospital Readmission Rate in an Inpatient Psychiatric Facility (IPF)

Disparity Group 1: Female

Disparity Group 2: Age 35 to 49

Disparity Group 3: Expected payor Medicare

Equity Plan: Targeted Post-Discharge Follow-Up Program for Readmission Reduction

Goal: Reduce 30-day readmissions for female patients, patients aged 35-64, or Medicare payer by implementing proactive case manager-led follow-up calls.

Target Population: Patients meeting the criteria of Female OR aged 35-64 OR Medicare Payer, AND who have had a prior readmission within the last 30 days.

Population Impact: Given that our three identified disparity groups represent a significant portion of our patient population, we have chosen to focus our efforts on all newly admitted patients with a readmission in the past 30 days. This is a critical high-risk group, as research consistently shows that a previous readmission is a strong predictor of future readmission.

Intervention: Using clinical informatics we will identify newly admitted patients with a readmission in the past 30 days. These patients will then be placed in our post discharge follow up program. Patients identified will receive a case management follow up phone call within 3 days of patient discharge from the hospital (discharge date being day 0). Using a standardized script the case manager will include questions regarding the patient's mental well-being check-in, follow up appointments, medication adherence, and barrier identifications if any. The same phone call will be initiated 30 days post discharge.

Data collection and reporting

-Number of eligible patients identified per week/month.

- Number of Day 3 calls completed (and rate of completion).
- Number of Day 30 calls completed (and rate of completion).
- Types of barriers identified (e.g., transportation, medication cost, lack of understanding).
Categorize for analysis.
- Types of interventions provided by CMs.

Measurable objectives: By 12 months the total number of 30 day readmissions to an Inpatient Psychiatric Facility will be reduced by 5% over the current 2024 readmissions. By 24 months the total number of 30 day readmissions to an Inpatient Psychiatric Facility will be reduced by 10% over the current 2024 readmissions.

Performance in the priority area

Acute psychiatric hospitals are required to provide hospital equity plans that address the top 10 disparities by identifying population impact and providing measurable objectives and specific timeframes. For each disparity, hospital equity plans will address performance across priority areas: person-centered care, patient safety, addressing patient social drivers of health, effective treatment, care coordination, and access to care.

Person-centered care

At St. Joseph's Behavioral Health Center, we recognize that effective healing in mental health begins with profound understanding and trust. Our core commitment is to deliver psychiatric care that is deeply respectful and responsive to each person's unique experiences, their specific therapeutic needs, and their personal recovery goals.

We understand that communicating about mental health can be especially challenging, and language should never be a barrier to receiving the best possible support. That's why comprehensive interpreter services are readily available to every patient throughout our facility, creating a vital bridge for clear and accurate communication, particularly concerning sensitive topics, emotional states, and treatment plans.

To guarantee this accessibility, each unit is equipped with a mobile Ipad device, allowing for instant, on-demand connection to professional medical interpreters during each care team encounter. These dedicated resources ensure continuous, uninterrupted access to language support, fostering an environment where every voice can be heard.

Performance Indicator: In CY24 we achieved 77.6% aggregate score for documenting use of interpreting services by nursing, case management, and physicians for patients whose preferred language was not English.

Patient Impact: Providing interpreters during psychiatric health stays positively impacts patients by fostering trust, enhancing therapeutic communication, and empowering them to actively engage in their treatment, ultimately leading to more effective and personalized care outcomes.

Patient safety

At St. Joseph's Behavioral Health Center, patient safety is the cornerstone of our commitment to being a highly reliable organization. We deeply understand that emotional well-being is intrinsically linked to feeling secure and respected within our care environment.

To uphold this standard, we empower our staff through ongoing education in two critical areas:

1. Culturally Competent Care: Every team member receives comprehensive training in the fundamentals of diversity, equity, and inclusion upon hire. This foundation ensures that our care is delivered with deep empathy, responsiveness, and respect for each patient's unique background and personal values.
2. Verbal De-escalation: Recognizing that agitation or distress can be a part of the healing process, all staff are rigorously trained in advanced verbal de-escalation techniques. Our priority is always to

prevent physical interventions, as we know these can be stressful and counterproductive for both patients and our dedicated team. We believe in providing a calming and supportive presence, fostering open communication, and guiding patients through moments of crisis with compassion and skill.

Performance Indicator: Our restraint rate in CY24 was 0.69 which is above our state benchmark of 0.53. Our seclusion rate in CY24 was 0.14 which is below our state benchmark of 0.37. Recognizing a need to reduce our restraint rate we focused our efforts with staff education, mandatory team debriefs, and medical executive committee support. We are proud to report significant strides in enhancing patient safety and dignity. Specifically, we have made remarkable progress in substantially reducing our use of restraints in CY25.

Patient Impact: When mental health patients receive the least restrictive interventions possible, it preserves their dignity and autonomy, fostering a sense of safety and trust in their care providers, which in turn improves therapeutic engagement and accelerates their recovery journey.

Addressing patient social drivers of health

At St. Joseph's Behavioral Health Center, we strongly believe that effective mental healthcare extends far beyond addressing clinical symptoms alone. To truly support a patient's recovery and long-term well-being, we must understand the broader context of their life--the social, economic, and environmental conditions that profoundly influence their health outcomes. This is why we are committed to systematically screening all our mental health patients for Social Determinants of Health (SDOH).

Performance Indicator: In CY24 we screened 52.5% of all adult inpatients. After focused education with staff we are happy to report a screening rate of 93% in CY25. Data indicates that housing instability is the predominant need expressed by our patients. St. Joseph's Behavioral Health Center maintains a dedicated Care Coordination team member specifically designated to navigate complex discharge challenges. This specialized team member plays a critical role in assisting patients facing significant housing instability or those requiring intricate placements. By working in close collaboration with the patient's family and external partners, our Care Coordination team member ensures the development and execution of safe, supportive, and sustainable discharge plans, mitigating barriers to successful transitions and promoting long-term stability. We will continue to drive appropriate referrals in CY25 and CY26, utilizing findhelp.org.

Patient Impact: Addressing social determinants of health during an inpatient psychiatric stay profoundly impacts patients by identifying and mitigating external factors that perpetuate mental health crises, which directly leads to more sustainable recovery, reduced readmissions, and an improved ability for patients to thrive outside the hospital environment.

Performance in the priority area continued

Performance across all of the following priority areas.

Effective treatment

Ensuring optimal patient outcomes is at the heart of our mission. In our psychiatric hospital, this means consistently providing evidence-based, timely, and appropriate clinical care. Our strategic focus on CMS process measures--specifically TOB-3 for screening, medication, and referral; thorough Metabolic Monitoring (MET); and proactive Substance Use Screening and Referral (SUB-3) is instrumental in systematically improving patient health, safety, and long-term well-being. Performance Indicators:

1. Tobacco Use Screening and Cessation Counseling (TOB 3): Exceeding the state benchmark of 54%, we successfully offered tobacco cessation counseling and medication to 66.67% of sampled patients in CY24. Individuals with mental illness (especially serious mental illness) have significantly

higher rates of tobacco use compared to the general population. Tobacco use contributes heavily to the disproportionately high rates of chronic physical illnesses (cardiovascular disease, respiratory disease, cancer) and premature mortality in this population.

2. Metabolic Monitoring (MET): Demonstrating an outstanding commitment to patient safety and comprehensive care, 99.39% of sampled patients prescribed antipsychotic medications in CY24 received recommended metabolic monitoring, far exceeding the state benchmark of 81%. Metabolic monitoring is crucial to mitigating severe physical health risks, ensuring patients can continue receiving effective psychiatric treatment without undue compromise to their long term physical well-being.

3. Substance Use Screening and Referral to Treatment (SUB 3): In CY24, we successfully referred 90.85% of sampled patients to outpatient substance use disorder treatment, significantly exceeding the state benchmark of 70%. Substance use disorders frequently co-occur with mental health disorders. Addressing both simultaneously is critical for effective treatment and improved outcomes. Patient Impact: The use of evidence-based tools and care for tobacco cessation, metabolic monitoring, and substance use screening and referral significantly improves long-term patient health outcomes by identifying and addressing critical co-occurring conditions, thereby reducing morbidity, enhancing overall well-being, and supporting more comprehensive mental health recovery.

Care coordination

At St. Joseph's Behavioral Health Center, the model of care coordination ensures a seamless, patient-centered journey that integrates individual providers, care settings, and the constraints of time.

Upon admission, an interdisciplinary team (comprising psychiatrists, nurses, social workers, and therapists) collaboratively develops an individualized treatment plan. This plan is based on a holistic assessment of the patient's clinical, social, and personal needs, and is continuously reviewed and adapted during the stay through daily team rounds, ensuring timely and appropriate interventions. A proactive approach includes early and comprehensive discharge planning, where a dedicated Care Coordination team works meticulously with the patient, their family, and external partners. This guarantees a safe and supportive transition by securing post-discharge appointments, arranging necessary community resources (e.g., housing, food assistance, transportation identified via SDOH screening), and establishing robust crisis plans. This meticulous coordination across the inpatient stay and into the community provides a continuous safety net, preventing readmissions and promoting long-term stability and well-being.

Performance Indicator: Our CY24 readmission rate of 21.29% significantly outperformed our peers' 31.43%, reflecting a 32.26% lower rate.

While our comprehensive readmission prevention strategies have shown overall success, a focused analysis of our data indicates opportunities for enhanced intervention within specific patient populations. We've identified that readmission rates are higher among females, patients aged 35 to 49, and those with Medicare insurance. Recognizing these as key disparity groups, we have developed a targeted and comprehensive action plan to address these specific needs and improve outcomes. Details of this action plan are outlined in Question 4 and will be our focus in FY 2026.

Patient Impact: With the introduction of our Targeted Post-Discharge Follow-Up Program, we expect to see an improvement in our 30 day readmission rate. Effective follow-up discharge programs reduce readmissions by ensuring continuity of care, equipping patients with the resources and support needed to manage their health post-discharge, and ultimately improving their long-term recovery and quality of life.

Access to care

Leaving the hospital after psychiatric care is a crucial time for mental health patients, but it often comes with many challenges that hinder their recovery. Patients frequently face difficulties getting to their first outpatient appointments, picking up their necessary medications, and connecting with

ongoing support. A significant barrier in this population is also the presence of drug and alcohol abuse, which can derail treatment plans, lead to missed appointments, and decrease adherence to psychiatric medications. Our hospital is committed to improving patient attendance at follow up appointments and picking up their medications.

Performance Indicators:

1. CMS FAPH-7: Follow-up After Psychiatric Hospitalization (7-Day) Our facility rate is 13.8% compared to our state peers at 32.9% which suggests there is opportunity for improvement. While our hospital excels in scheduling post-discharge appointments for patients, our FAPH-7 data suggests other significant barriers impact follow-up, necessitating further investigation and action.
2. CMS FAPH-30: Follow-up After Psychiatric Hospitalization (30-Day) Our facility rate is 41% compared to our state peers at 53.1% which suggests there is opportunity for improvement. While our hospital excels in scheduling post-discharge appointments for patients, our FAPH-30 data suggests other significant barriers impact follow-up, necessitating further investigation and action.
3. CMS MedCont Medication Continuation Following Inpatient Psychiatric Discharge Our facility rate is 65.9% compared to our state peers at 75.4% which suggests there is opportunity for improvement. Recognizing the many factors influencing medication adherence, we are actively investigating these challenges to improve patient outcomes.

Patient Impact: With the introduction of our Targeted Post-Discharge Follow-Up Program, we expect to see an improvement in these outcome measures. Effective follow-up discharge programs reduce readmissions by ensuring continuity of care, equipping patients with the resources and support needed to manage their health post-discharge, and ultimately improving their long-term recovery and quality of life.

Methodology Guidelines

Did the hospital follow the methodology in the Measures Submission Guide? (Y/N)

Y